

**HARBOUR DIVISION**  
**TENDER ID HD-02/17**  
**AMMENDMENT No.01**

**Name of work:- “Construction of West Gate I Office Building  
along with ancillary facility like Roads, Cable  
Trench, Drain, R.C.C. Fencing and Land  
scaping work.”(Phase-II)**

**(A) The condition No.68.2 (1) a for steel of Special conditions of section 5  
is amended as under.**

- (1) The contractor shall procure CRS / TMT bars of Fe415/ Fe500/ Fe550 grade as per approved vendor list only as mentioned in Tender.
- (a) The grade of the steel such as Fe415/Fe500/Fe 550 or other grade to be procured as per approved vendor list only as mentioned in Tender & confirming to BIS 1786-2008.

**(B) list of approved make is amended as under for CEMENT make.**

- OPC / PPC Ambuja, Ultratech, Birla Plus, Sanghi, Kamal, J K Laxmi

**(C) Tender I No.62 is amended as under.**

I No.62. Supply and laying interlocking paving block flooring with cement concrete block 80 mm thickness hydraulically pressed Coloured rubber moulded finish of approved make colour shade & size laid over cement mortar 1:3 bedding 20 to 40 mm thick and pointing the joint with neat cement Slurry polishing the surface curing etc. complete all labour and materials as directed by the Engineer - in charge.