

HARBOUR DIVISION
TENDER ID HD-03/17
AMMENDMENT No.01

Name of Work:- “Construction of West Gate III Office Building along with ancillary facility like R.C.C. Roads, Cable Trench, Drain, R.C.C. Fencing and Land scaping work.”(Phase-I)

(A) The condition No.67.2 (1) a for steel of Special conditions of section 5 is amended as under.

- (1) The contractor shall procure CRS / TMT bars of Fe415/ Fe500/ Fe550 grade as per approved vendor list only as mentioned in Tender.
- (a) The grade of the steel such as Fe415/Fe500/Fe 550 or other grade to be procured as per approved vendor list only as mentioned in Tender & confirming to BIS 1786-2008.

(B) list of approved make is amended as under for CEMENT make.

- OPC / PPC Ambuja, Ultratech, Birla Plus, Sanghi, Kamal, J K Laxmi

(C) Tender I No.61 is amended as under.

I No.61. Supply and laying interlocking paving block flooring with cement concrete block 80 mm thickness hydraulically pressed Coloured rubber moulded finish of approved make colour shade & size laid over cement mortar 1:3 bedding 20 to 40 mm thick and pointing the joint with neat cement Slurry polishing the surface curing etc. complete all labour and materials as directed by the Engineer - in charge.

Name of work of Tender may be read as under

“Construction of West Gate III Office Building along with ancillary facility like R.C.C. Roads, Cable Trench, Drain, R.C.C. Fencing and Land scaping work.”(Phase-I)